

RECEIVED
CENTRAL FAX CENTER

PHILIPS

JUN 23 2006

Philips Intellectual Property & Standards

**FACSIMILE TRANSMITTAL TO
THE UNITED STATES PATENT AND TRADEMARK OFFICE**

TO:	FACSIMILE NO.:	TELEPHONE NO.:
Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Arlington, VA 22313-1450	(571) 273-8300	() -
ATTENTION:	<i>Examiner:</i> <u>Jean Pierre Peguy</u>	
	<i>Art Unit:</i> <u>2819</u>	

FROM:		TELEPHONE NO.:
Michael J. Ure, Reg. No. 33,089		(408) 474-9077
RE:	<i>Serial No.:</i> <u>10/537,670</u>	
	<i>Attorney Docket No.:</i> <u>NL021239 US</u>	

TRANSMISSION INCLUDES:

8 Pages (including cover sheet)

Response

CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8	
I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office at the number listed above	
on <u>2006-JUN-23</u>	by <u>[Signature]</u>
Date	Daniel L. Michalek



Philips Electronics North America Corporation
1109 McKay Drive, M/S-41
San Jose, CA 95131

Tel: (408) 474-9066
Fax: (408) 474-9080

RECEIVED
CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE JUN 23 2006

In re application of
BUDZELAAR

Atty. Docket
NL02 1239 US

Serial: 10/537,670

Group Art Unit: 2819

Filed: 06/06/2005

Examiner: JEAN PIERRE, PEGUY

NON-LINEAR DISTRIBUTION OF VOLTAGE STEPS IN FLASH-TYPE A/D
CONVERTERS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Extension of Time Statement

The Commissioner is hereby requested and authorized pursuant to 37 CFR §1.136(a)(3), to treat any concurrent or future reply in this application requiring a petition for extension of time for its timely submission, as incorporating a petition for extension of time for the appropriate length of time. Please charge any additional fees which may now or in the future be required in this application, including extension of time fees, but excluding the issue fee unless explicitly requested to do so, and credit any overpayment, to Deposit Account No. 14-1270.

RESPONSE

Sir:

Responsive to the Office Action of March 23, 2006, please amend this application as follows.